


## Curekind MBTS(DM)

DESCRIPTION	 <b>2,2-Dibenzothiazole Disulfide</b>  C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> S <sub>4</sub> M.W. 332.5 CAS No.: 120-78-5 EINECS No: 204-424-9	Specification	
		Items	Powder
	Appearance	White or light-yellow powder	
	Initial Melting Point, °C min.	166.0	165.0
	Heat Loss, % max.	0.50	0.50
	Ash, % 800°C 2hr max.	0.40	0.40
	Density, g/cm <sup>3</sup>	1.50	1.50
	Residue on 150µm, % max.	0.10	0.10
	Residue on 63µm, % max.	0.50	0.50
	Additive, %	-	1.0~2.0

**Characteristics** Curekind®MBTS is White or light-yellow powder, bitterness, non-toxic, insoluble in water, but soluble in alcohol, ethyl ether, etc..

**Application** Combined used with other accelerators in tyres, rubber belts etc rubber parts. Regulated if use in articles in contact with food as specified under FDA 21 CFR177.2600, 175.105 and under BgVV XXI, Categories 1-4.

**Safety and Toxic** Refer to the MSDS

**Storage** Store in closed containers in a cool, dry, well-ventilated place. Avoid exposure under direct sunlight.

**Package** Co-extruded paper bag lined with PE plastics film bag. Net weight 25kg/bag, N.W.500kg/pallet.

The information contained in this leaflet is based on tests carried out by our laboratories and data selected from references. Therefore it is not valid legally and does not signify any guarantee to customers of successful applications of the product according to their own formulas. However, our company will offer professional services in technology at utmost to facilitate customers to achieve expected purpose of product applications.